

# Adobe Visual Design II

**Objective: 2.00**

Apply project setup and interface in Adobe InDesign.



**ADOBE VISUAL DESIGN**

Abode Classes

Wake County Public Schools



# Objective 2.01

Create a document with the appropriate settings for web, print, and mobile.

# Documents in ID

- **Facing Pages**

- Pages in a document that appear on opposite sides of a book or magazine, also called a spread.

- **Spreads**

- Facing pages that can be printed together.

- **Margins**

- Space between the edge of the page and the content.

# Documents in ID

- **Gutter**

- Space between columns in a publication. Sometimes referred to as an “Alley”.

- **Bleed**

- Extra space beyond your page that allows you to run objects beyond the edge of the page to ensure that they print to the edge of the page to prevent a white border when cutting.

- **Slug**

- Extra space beyond your page used to show markings or provide notes for the printer.

SLUG

BLEED

MARGINS

GUTTERS

# Title Goes Here

Invenit apud autem ustios debis am ium eumentis et hictium qui reprimendit doloris imaximus aut que consedi gnumus, ius alit veris re, sedis dis ma adis parupta sum, suntem ut voluptincis sunt explaut illabor essimilibus enis dere vellit fuga. Officte mpellup tatectur, cusaecer?

Temporae inverio nserovi temquam cullic tem re lique plis cusandes solo bea con enduntis dolorep ellabor ibeaquiant. Est, sequas im faceariam evel incisintios eos vel modit aborepe laccae officae. Itae cumquodi officia earit, cone nusa cupicaborem hicabo. Ut placernat latusee cusdae namet a quis ex eosandam nime modi alibusci reriostim etur? Parchic iustrum ea aligent vel et aligendicae estem unt que endis rehende sende es

dolupta tatur, tem. Neque cullore sciatusdam vollorrum nate od magnatibus eossimu sanduciae. Ut atatur as net volorepta volest quiam, qui cumquis restrum velic tempores alis sressum acsedio-rem ducit et quam res excest labo. Ebistes essim qui delless imetur, te vel ipsam niscilis as anda quae res dolorernam autendus, serum nossi dolor aspeditem im aut odis cora qui volorest, officis ipsam similitotatem que omnis sitibeate doleni-amus.

Undaerum sequo millaborum et facest, omnimil landusa ntionens ant

liquam alit etur sitatur, optaturiam, con nus sandit ma dollor antempe lignatibus quis coriatur, autem auditfesti volorep eratas et refererum voluptuae. Volupta qui verum sit, cus explique illabo. Nis eatescia sit pa cus nos auditio inulliqui doluptatur, occupitium ipiscis quid quidelectate pration esequis invelibus eatibus nulpa quiderundae optasperia nulpari buscipi enihillaut autem. Nam aliquia meturrit qui consed ut


odipsame inum quam quiaassuntis magnat et hic tem quam qui ulpa ea sequi offic tempore percipidit quae nemolest, tesecto rerisit que nulpa ped que volorem quatio. Nam re sinihil inctur accus. Em ra parum quo magnatem a dolent fugit, es eost iunt volorem- por susae dolupta non core ligenis ditectorion nulpa porem fugitang, necari cullupta dolor sequibusant, con ex ea natam repudi tectes eiur, sequae quiae nossima sentistius, si officia epudant que cori con etus et, conet renihicipsa alique officie ndemolut as doluptu ritio. Ent lic

tendist, quam sumeture ventur? Sim incta dolupta audae sunt es serem fuga. Cullabo. Andebis cipita sequi intibea aut eum atibus sedio quo beri aut renis cone vellore occupatecae volor sandion re, sendicimi, omnient qui te magnatesed que cum auda nonse non pratem istiaestia debisiqu idenim enihil- luptas dite conem quas senis del inim qui torrores est vel et di blabore sint.

Mod mos et ereste etem haria idus, offica ditarsicia dolore mag res cupiat velit explit volorrum, imendi m Sum qui ulpa dollau- danda escit aut quasper oviditi atemqui ulla inci que doluptae odia cor re maximag nimusaectus volum qui consequae vel most labor arum et liti sum alignisqui non ex ea sapel et abore at aut venist, eatemod iction con core odi vernat.

Ex et dit debitis quunt, culparum ium reperate simpera volupta temporios sim quiducium fugiam landis nost, aut volorum es quisquos iust esto blab ipsam, int velloru mquodia debet officienem aut iunt optaturio core cumque dicabor apis quae lat porum fugiat quidus, nobitet ut is et est offic te conse- quatus debet ut fugitae cttorum quo ersperis doluptatibus dolupta prectent quam, qui nisi qui nonse- quatis es molum faccest isciurem dias quis sintiam fugit harum res eius dem dolorep eroreri num, ut eicab ipsundit, ad magnat videm ne

FACING PAGES




Vit velibus eatem velendae dolore- cabo. Epe pa debis sero mintios aut adi od qui beatam autempero repe- rum ium quis dollibus, eum etur, si dolupta quodissequis evendignis mo ipsumqu issequam quidem qu- ost labo. Lo qui voloreicium rerro cullese cum ullaboratus aut min nonet inis velit, quos eatat. Nis pe aut quo to to quant quaesedi tem doluptur sumque estis do- luptati omnihicem cullumquatur maionseria dolut volupti corem. Untibus est voluptiis samusan ihillup tianden issunti onsectibus, quibus. Obit, sequo mossimint asim acie- tatem quodicidebit ullabo. Agnim qui tet molupta tissime ndendio tendae rest incim eicitur sit peres etus acest am eostem quam eum aut et que sus. Nem nobitist pore perchil iciatium et adios sintotam et hil magnihi lluptaqu aceraum aligentitur sitatur auta eriam haris dolupta tatibero officii sitiae apellatibus inveliquam as imaginperio opta sent, ut aut expel inis maionsequi cupstis dolo molorpossim aditates pa incis qui occusapis excea nus rem utes elibus, sitiis idebit prorepe vel explatus es- tia que simus volo diam aspe vent. Lis reitum, que consequasinull eni-

hiti busapictia doluptat ratque is ea dipicae ctinimu sdantiberro verat ressimaiio tempore mquiatum ex et do- luptur aut aborehendi re pa dolorum, teceste dolecab oreceaq uaes- simagnam sit, voluptate natur atatiis citate assi tem sum hitatem re aut eosam aut accepta tendis nist, aut estium quodigenis imus ra secerferro eaqui is eaqui cori corem eictem ace- stem. Itaque debistrum

dion nus comnis ex et porumquidi volorit labore qui odit, sit, qui dolor autem quidunt fuga. Itat pliquo do- luptatior saped qui tet audia quam quae. Saes doluptatur atia dolumqui te commod maximpore, culpa eos autem et latia nonseque quas int dereribus, cusda pos voluptatur, offic te perferum sit, qui omnist, que nisin rem ellupta temquid ut quatiat cus aboreped quatum fuga. Gia nimagnias ipieniti sitias nos ditas reprae sandell estrum qui blaborumque nos modignis dolor asim fugit mos nem res ea vernati onetur, nonsequi omnihilit et atint.

Abori cum untis volupta tem- quatiata simil es doluptatium aut odignem aut venia di- aerum laborer esequas aliquati- is reribusam fugit as magnis esturi, quo et am vel illa nost, iliquodit rehendi invelibus. Adi dolupt as del id quas aute officie viditist, tetur? Endis nat. Everchit ex et voluptatur aperum esed excep- pudam, andior rate venditti ist- tiam dolorep uadaerovit acate perchitate volut rerrum sum natem. Ut omnihicent doles- ti uscipsam facepre dolorei

cidusdamus sit, sum a suscias ea eos maios utam quis conse oditia- tusam si ad quost inihil maionsedis eum re quos et reperum harum, con pro et a nullab iumqui autem enis re, numqui volupta dolupta suntus et ut pellecest, non conse- quibero dolorrorem volent, vitatia quam et, volupta tempel inci tem none sit rat eosae cum que nessunt lacesti dolore lam, sit autassequi- atommost, nimi, od et alicio dolum ant, acceptat doluptur? Cesedia expedi to dit illaut ped milicatem sitiant dunt poreptaest aboriorro blaboris velit volum volor molores- simus aspero berspientias et aceristis am que sed quam si blant et optati aliae. Et vitaque volum quatiem. Et il ipid maximodit aut lab il ipsaes esto int, sitasped molupta turibus con ex eturit, commit ut dicil este eati doloritis et modis de odipis et vellaborro berae verio omnns earum animendaere nonseque eos exere evenima gnienndens non consequia quaecte conem quatesed et, unt aut acepuda nientum con postrum rest, soles essit et verenis doluptat alias dolest volest, nis nima seditem que earunt reri doluptum alis sequi consecatur



SPREAD

# Documents in ID

- **Raster Effects Resolution**

- Determines the resolution of specific raster effects such as drop shadows.

- **Color Mode**

- A specific set of colors used for a document. RGB is used for screens and CMYK for printing.

# Objective 2.02

Navigate, organize, and customize the application workspace.

# InDesign Interface

- **Control Panel**
  - Displays options for the currently selected tool.
- **Menu Bar**
  - Gives you access to a wide range of functions and extra commands. Menus include the File, Edit, Object, Type, Select, Effect, View, & Window menus.
- **Panels**
  - A group of related commands and options.



# InDesign Interface

- **Toolbar**

- Contains tools for creating and editing images, artwork, page elements, and so on. Related tools are grouped.

- **Properties Panel**

- This will change based on the tool you are using and give you a variety of useful options and commands.

# InDesign Interface

- **Pages**

- Separating different components of a design into pages, like in a book or magazine. Can use the Pages panel to switch between pages.

- **Spreads**

- A set of pages viewed together, such as with facing pages.

- **Workspace**

- The way the panels and tools appear in InDesign. Different workspaces are best used for different types of work.

# InDesign Interface

- **Tabbed Documents**

- Having multiple documents or projects open at the same time in InDesign. Can switch between the document tabs beneath the control panel.

- **Showing, Hiding, Docking, & Nesting Panels**

- The ability to move, hide, and reveal different panels within a given InDesign workspace.


MENU BAR



CONTROL BAR



TOOL BAR



TABBED DOCUMENTS

PANELS

PROPERTIES PANEL

PAGES

InDesign File Edit Layout Type Object Table View Window Help

Adobe InDesign 2021

Essentials Classic Adobe Stock

X: 13.4 in L: Y: 2.125 in 1 pt 0.1667 in 100%

\*Layout.indd @ 40% [GPU Preview] Untitled-3 @ 45% [GPU Preview]

Stroke Color

H 346 ° S 11 % B 14 % #: 231f20

Properties Layers Pages

No Selection

Document Letter W: 8.5 in H: 11 in Facing Pages

Margins 0.5 in 0.5 in 0.5 in Adjust Layout

Page 3 Edit Page

Rulers & Grids

Guides

Quick Actions Import File

Title Goes Here

Iminvendit apis ra autesti ustios debis am lum eumentis et hic- tianqui reppor umentid dloria inmaximus ut que consedi gnimus, ius alii veris re, sedis dis ma adis parupta sum, suntem ut voluptincis sunt explaut ilabor essimilbus enis dere vellit fuga. Officte impel- lup tateatur, cusaectur? Temporaie inverio nserovi tem- quiam cullic tem re lique plis cusandes solo bea con enduntis dolorep ellabor ibea- spiant. Est, sequas im facerariam evel incist, inios eos vel modit aborepe laccae officae. Itae cumquodi officia earit, cone nusa cupicaborem hicabo. Ut placernat laturese cusdae namet a quis ex eosandam nimet modi albiscis reriossim etur? Parhic listrum ea aligent vel et aligen- dicae estem unt que endis rehende sende es dolupta tatur, tem. Neque cullore sciatusdam vollorum nate od magnatibus eossimu sanduciae. Ut atatur as net volorepta volest quiam, qui cumquis restrum velic tempores alis sersessum accedio- rem ducit et quam res excec labo. Ebbistes essim qui delless imetur, te vel ipsam niscis as anda quae res kblovernem autendus, serum nossi dlor aspeditem im aut odis cora qui volorest, officis ipsam simlic totatem que omnis sitibeate doleni- amus. Undaerum sequo millaborum et facest, omnimil landusa nitones ant

liquam alit etur sitatur, optaturiam, con nus sandit ma dloror antem- pe lignatibus quis coriatu, autem audideri volorep eriatas et rerum sit, cus explique ilabo. Nis estecia sit pa- cus nos audtio inulliqui doluptiatur, occupium ipsicis quid quidelecta- te pratton esequis invetibus eatibus nulpai buscipi enihillaut autem. Nam aliquia meturiti qui consed ut

tendist, quam sumeture ventur? Sim incta dolupta andae sunt es- seream fuga. Callabo. Andebis cepita sequi intibus aut eum alibus sedlo quo beri aut renis cone vellore oc- cupatecae volor sandion re, sen- didicim, omnient qui te magnatesed que cum anda nosse non pratrem istiaesta debisqui idenim enihil- luptas dite conem quas senis del- inim qui torores est vel et di ut quo blabore sint.

Mod mos et ereste expelli- tem haria idus, officaturam ditattiscia dolore magnimus res cupat velit explique volorum, imendi natat. Sum qui ulpa dollau- daudae escit aut quasper oviditi atemqui ullab inci que doluptae odia cor re maximag nimusaectus volum qui conseque vel most labor arum et liti sum allignisqui non ex ea saspel et abore at aut venist, estemod iction con core odi vernat.

Ex et dit debitis quant, culparum ium reperate simpera volupta temporios sim quiduacium fugiam landis nost, aut volorum es quisqu- os lust esto blab ipsam, int vellora mqoodia debet officenem aut iunt optaturio core cumque dicabor apis quae lat porum fugiat quidus, nobitet ut et est offic te conse- quatus debet ut fugite etorum quo esperis doluptibus dolupta prectent quam, qui nisqui nose- quatis es molum faccusc iscturem dias quis sintiam fugit harum res etus dem dolorep eroreri num, ut etcab ipsundit, ad magnat videm ne

hiti busapictia doluptat ratque is ea dipicae ctinimu sdantiberro verat ressimaiio tempore inquatium ex et do- lupur aut aboreheridi re pa dolorum, teceste dolocab oreceaq uaes- simagnam sit, voluptate natur atatis citate assi tem sum hitatem re aut eosam aut accupta tendis nisi, aut estium quodigenis imus ra secerferro equi is eaqui cori corem eictem acce- stem. Itaque debistrum nus omnis ex et porumquidi volorit labore qui odit, sit, qui dlor autem quidant fuga. Itat pliquo doluptiort saped qui tet audia quam quae. Saes doluptatur atia dolamqui te commod maximore, culpa eos autem et latia noseque quas int dereribus, cusda pos voluptatur, offic te perferum sit, qui omnist, que nisin rem ellupta temquid ut quatiata cus aboreped quatum fuga. Gia nimagnias ipienit sitias nos ditas repae sandell estrum qui blabourumque nos modignis dlor asin fugit mos nem res ea vernati onetur, nosequi omnihilit et atini.

Abori cum untis volupta tem- quatiata simil es doluptatium aut odignimet aut venia di- aerum laborer esequas alliquati- is reribusam fugit as magnis estium, quo et am vel illa nost, iliquodit rehendi javellibus. Adi doluptis as del id quas aute offendie viditisti, tetur? Endis nat. Everchit ex et voluptatur aperum esed excec- pudam, andior rate venditiis- tiam dolorep uaderovit acente perchitate volut rerum sum natem. Ut omnihicent dolest- ti uscipsam facepre dolorei

# InDesign Interface

- **Default workspace: Essentials:**
  - The default workspace when you first open InDesign
- **Saving custom workspaces:**
  - In InDesign you can create a custom workspace and save it so you can use it over and over.
- **Resetting the Workspace:**
  - Resetting a specific workspace to its default settings after making changes to it, such as closing the layers and pages panel.

# InDesign Interface

- **Shortcuts and Menus**

- Using shortcuts and menus to aid in design work.

- **Interface**

- The appearance of the blank space color in InDesign. Can change between four default shades of grey / black.

# InDesign Interface

- **Grids**

- Grids can be used to aid in alignment and design principles. Can be customized to the user's desire.

- **Guides**

- Can create guides using rulers to measure components in a design.

- **Pasteboard**

- The area outside of the page where items, colors, swatches, etc. etc. can be stored.

# InDesign Interface

- **Spelling**

- Making sure all spelling is correct. Can use the built in spell checker to aid in spelling.

- **Story Editor Display**

- Displays text from a text box as if you were writing in a simple text editor.



# InDesign Interface

- **Units & Increments**

- A specific unit of measurement that InDesign uses such as pixels, inches, picas, or points.

- **Navigating InDesign Documents**

- Using different workspaces and shortcuts to move through different projects or documents in InDesign.

# Objective 2.03


Use non-printing design tools in the interface to aid in design or workflow.

# Non-Print Tools in ID

- **Panning**
  - The ability to move around a document in the program.
- **Zooming**
  - The ability to increase and decrease the view size of a document.
- **Rotation Pages**
  - The ability to change the orientation of a document.
- **Pasteboard**
  - The area that extends beyond the edge of the document where you can store objects not currently used in the publication.

# Non-Print Tools in ID

- **Rulers**
  - Allows the user to see the exact dimensions of a document and exactly where on a document objects are placed.
- **Guides**
  - Lines created using rulers or dimensions in a document that allow the user to align objects to specific locations.
- **Smart Guides**
  - Temporary snap-to guides that appear when you move objects; help you align, edit, and transform objects relative to other objects
- **Grids**
  - A non-printing Element that divides the document into equal parts rectangular parts. Used for alignment and balance purposes.



# Non-Print Tools in ID

- **View Modes**

- Ability to view projects and adjust the display on the screen.

- **Normal Mode**

- This mode will display everything in your design such as the document pages, guides, pasteboards, bleed, slug areas, etc...

- **Preview Mode**

- This mode will display the document in the program that looks like the final result if it were printed, removing all the guides and lines blocking a clear view of your design.

# Non-Print Tools in ID

- **Slug**

- Extra space beyond your page used to show markings or provide notes for the printer.

- **Bleed**

- The amount of artwork that falls outside of the printing bounding box that gives the printer a small amount of space to account for movement of the paper, and design inconsistencies.

# Objective 2.04

Import assets into a project.

# Importing into ID


- **Templates**

- A file that allows you to create and save a layout for future use.




# Frames in ID

- **Frames**
  - Objects that serve as containers or placeholders in InDesign for text, graphics, and other design elements.
- **Text Frame**
  - Contains text, can be moved and resized; text can be connected between text frames
- **Placeholder Text**
  - Text that is placed in a text box that "holds a place" in a design to allow for creating a layout or adjusting the text design.
- **Graphics Frames**
  - Serves as a placeholder for placing a graphic.




**FRAME**



**TEXT FRAME**

Ibus, solendel iuntota assunt quati cum fugiti acipsan ducimil minctio. Me custis rersperrum quia core laccus natemquia simaxime solo-rumquat est la sapeligenis is eatur sum iducim ape vel ipsapiet que labo. Vit pernam sequi volorio et estissi ut harum voluptatur, aut et es mostrum

**PLACEHOLDER  
TEXT**



**GRAPHICS  
FRAME**

# Importing into ID

- **Placing Assets**

- To add an asset into your design by either embedding or linking the asset.

- **Embedding**

- Permanently placing an asset into a project. If the project moves, the asset moves as well.

- **Linking**

- Placing an asset into a project where the asset is not permanent. If the project moves the asset will not stay with the file. If the original asset is updated the asset is updated in the project as well.

# Importing into ID

- **Relinking Assets**

- This is required in a linked asset is moved and InDesign is no longer able to locate it.

- **Packaged Assets**

- This allows you to create a folder that contains the InDesign documents, any necessary fonts, linked graphics, and text files when your work needs to be sent to others, such as a printing company.

- **Links Panel**

- A panel for viewing information about placed graphics or linked texted files.

# Objective 2.05

Manage colors, swatches, and gradients.

# Colors in ID

- **Stroke / Fill**

- The stroke is the color on the outside of a shape (the path) and the fill is the inside color. Strokes can be applied to any layer in photoshop to create a color border.

- **Tints**

- A screened or lighter version of a color.

# Colors in ID

- **Swatches**

- Predefined, easy to access colors.

- **Eye Dropper**

- A tool that allows the user to sample (steal) a color from another place in the image.

- **Hexcode**

- A way of representing colors from various color models through hexadecimal (Base 16) values. A hexadecimal color follows the format #RRGGBB, where RR is red, GG is green, and BB is blue. These hexadecimal integers can be in a range of 00 to FF to specify the intensity of the color.

# Colors in ID

- **Gradients**


- A gradual change of color in an object. Can be two colors or multiple colors.

- **Gradient Panel**

- This is the panel that allows you to create and edit gradients.

- **Color Libraries**

- Preselected sets of colors such as PANTONE, Nature, Metal, Food.



# Colors in ID

- **Spot Colors**
  - Uses a unique code to create a specific color.
- **Process colors**
  - Uses CMYK to produce colors.




# Objective 2.06

Manage paragraph, character, and object styles.


# Styles in ID

- **Character Style**
  - Created and applied to text to save time; includes character formatting such as font, size, bold, italics and color, etc...
- **Character Styles Panel**
  - This panel is used to create, name, and apply character styles to text within a paragraph.




# Styles in ID

- **Paragraph Style**
  - Created and applied to text to save time; includes paragraph formatting such as indents, bullets, and alignment as well as the character formatting options. Can be used to create table of contents or indexes as well.
- **Paragraph Styles Panel**
  - This panel is used to create, name, and apply paragraph styles to entire paragraphs.



# Styles in ID

- **Object Styles**
  - These are applied to design elements that contain specifications for the appearance of an element.



# Styles in ID

- **Table of Contents**

- A list of titles of the parts of a book or document, organized in the order in which the parts appear along with the page numbers.

- **Index**

- An alphabetical list of names, subjects, etc., with references to the places where they occur, typically found at the end of a book.